

scb. SEACHANGE
BOATING

scbx 16



Build it your way





Introducing the SCBX, by Seachange Boating. A line-up of boat models with origins from the legendary Australian Haines boat building family deliver a unique process used by us to a formula mastered in advancing the process of boat building, ensure consistency of product, improved product characteristics (such as strength), as well as reduced styrene emissions.

SCBX is a four model series designed with Xtra's and X-factor as well as allowing you to build it your way. Take one of the four model packages and finish the vision to suit your needs or contact an SCBX account partner to complete the dream. With all models being built to match our line-up of parts and accessories, you are truly in the drivers seat to bring out your own creativity. With you building it your way to suit your final style from a proven Haines hull design, these enhanced custom-fitting factory accessories will continue the build and evolve your configuration spec and boating capabilities.

SCBX boats are a 4.85m open fibreglass vessel that can carry up to four passengers, starting at 40hp to a maximum rating of 80hp.

SCBX just revolutionised Australian boating... we welcome you to Seachange!

SCBX is here now.

Specs

Length: 4.85m

Beam: 2.05m

Deadrise: 21–33°

Fuel: see model for details

Power outboard: 40–80hp

Transom height: 20"

Max outboard weight: 170kg

Hull weight: Approx. 398–470kg *subject to model config

Towing weight (incl. fuel): Approx. 926–1,008kg on Sea Trail Trailer (for reference)

BMT length: Approx. 6.40m

BMT height: Approx. 1.75m

BMT width: Approx. 2.40m

Max people: 4/320kg

Max load: 585kg

Colour: Only available in White Wave or Silver Shore – as pictured

All SCBX will be shipped shrink wrapped and mounted on a transport cradle*. Built to Australian boat manufacturing standards AS1799.



Pictured in Silver Shore.

Picture is for illustration purposes only.



Standard features

- 2 x fixed 23L tote tanks
- SCB Xdeck pack
- Stainless steel bow cleat
- Bow & two transom eye bolts
- Self draining anchor well
- Stainless steel handles x 4
- Outboard well
- Underfloor kill tank/storage

Part No.	Description
SCBX16-BA-TT-SS	SCBX 16BA – Bare Ass Silver Shore with tote tanks
SCBX16-BA-TT-WW	SCBX 16BA – Bare Ass White Wave with tote tanks



Standard features

- 2 x fixed 23L tote tanks
- Auto bilge pump
- Battery mount under rear thwart seat
- Bow & two transom eye bolts
- Outboard well
- SCB Xdeck pack
- Self draining anchor well
- Stainless steel bow cleat
- Stainless steel handles x 4
- Thwart seats – front with insulated internal storage
- Thwart seats – rear
- Underfloor kill tank/storage

Part No.	Description
SCBX16-T-TT-SS	SCBX 16T – Tiller Silver Shore with tote tanks
SCBX16-T-TT-WW	SCBX 16T – Tiller White Wave with tote tanks
SCBX16-T-IT-SS	SCBX 16T – Tiller Silver Shore with 60L internal tank
SCBX16-T-IT-WW	SCBX 16T – Tiller White Wave with 60L internal tank



Pictured in Silver Shore.

Picture is for illustration purposes only.



Standard features

- 60L underfloor fuel tank
- Auto bilge pump
- Battery mount under rear thwart seat
- Bow & two transom eye bolts
- Front casting deck
- Outboard well
- SCB X deck pack
- Self draining anchor well
- Stainless steel bow cleat
- Stainless steel handles x 4
- Thwart seats – rear
- Underfloor kill tank/storage

Part No.	Description
SCBX16-OC-IT-SS	SCB X 16OC – Tiller Silver Shore with 60L internal tank
SCBX16-OC-IT-WW	SCB X 16OC – Tiller White Wave with 60L internal tank



Pictured in White Wave.

Picture is for illustration purposes only.



Standard features

- 2 x fixed 23L tote tanks
- Auto bilge pump
- Battery mount under console
- Bow & two transom eye bolts
- Mechanical steering non feedback with steering wheel
- Navigation & allround white lights
- Outboard well
- SCB Xdeck pack
- Self draining anchor well with anchor hatch
- Side console with two pedestal seats or centre console with SCB cooler
- Stainless steel bow cleat
- Stainless steel handles x 4
- Underfloor kill tank/storage
- Wiring harness

Part No.	Description
SCBX16-C-SC-TT-SS	SCBX 16C – Side Console Silver Shore with tote tanks
SCBX16-C-SC-TT-WW	SCBX 16C – Side Console White Wave with tote tanks
SCBX16-C-CC-TT-SS	SCBX 16C – Centre Console Silver Shore with tote tanks
SCBX16-C-CC-TT-WW	SCBX 16C – Centre Console White Wave with tote tanks



Pictured in Silver Shore.

Picture is for illustration purposes only.



Standard features

- 60L underfloor fuel tank
- Auto bilge pump
- Battery mount under console
- Bow & two transom eye bolts
- Front casting deck
- Mechanical steering non feedback with steering wheel
- Navigation & allround white lights
- Outboard well
- SCB Xdeck pack
- Self draining anchor well with anchor hatch
- Side coamings – port and starboard*
- Side console with two pedestal seats or centre console with SCB cooler
- Stainless steel bow cleat
- Stainless steel handles x 4
- Underfloor kill tank/storage
- Wiring harness

Part No.	Description
SCBX16-CS-SC-SS	SCBX 16CS – Side Console Silver Shore (includes casting deck and 60L internal fuel tank)
SCBX16-CS-SC-WW	SCBX 16CS – Side Console White Wave (includes casting deck and 60L internal fuel tank)
SCBX16-CS-CC-SS	SCBX 16CS – Centre Console Silver Shore (includes casting deck and 60L internal fuel tank)
SCBX16-CS-CC-WW	SCBX 16CS – Centre Console White Wave (includes casting deck and 60L internal fuel tank)

**Please note: Side coamings – port and starboard is only available on the centre console. The side console is supplied with only the starboard side coaming.*



Standard	BA	OC	T	C	CS
2 x fixed 23L tote tanks	•	–	•	•	–
60L underfloor fuel tank	–	•	O	–	•
Auto bilge pump	–	•	•	•	•
Battery mount under console	–	–	–	•	•
Battery mount under rear thwart seat	–	•	•	–	–
Bow & two transom eye bolts	•	•	•	•	•
Front casting deck	–	•	–	–	•
Mechanical steering non feedback with steering wheel	–	–	–	•	•
Navigation & allround white lights	–	–	–	•	•
Outboard well	•	•	•	•	•
Hull & deck	•	•	•	•	•
SCB Xdeck pack	•	•	•	•	•
Self draining anchor well with lid	•	•	•	•	•
Side coaming (starboard only)	–	–	–	•	–
Side coamings – port and starboard	–	–	–	–	•
Side console with two pedestal seats or centre console with SCB cooler	–	–	–	•	•
Stainless steel bow cleat	•	•	•	•	•
Stainless steel handles x 4	•	•	•	•	•
Thwart seats – front with insulated internal storage	–	–	•	–	–
Thwart seats – rear	–	•	•	–	–
Underfloor kill tank/storage	•	•	•	•	•
Wiring harness includes switches for bilge pump, nav lights and allround white light	–	–	–	•	•

• = standard | O = optional | – = not available



SCBX16-AH

Anchor hatch


includes hinges & hardware.



SCBX16-TMM

Trolling motor mount

includes hardware.



SCBX16-C-CON

Centre console includes hardware & buoyancy foam.



SCBX16-S-CON

Side console includes hardware & buoyancy foam.



SCBX16-PS

Pedestal seat

includes mounting kit & hardware.



Top view



SCBX16-SCB-C40L

SCB cooler

includes hardware.

Top view



Side view



SCBX16-FCD

Front casting deck

includes lid, hinge, hardware & buoyancy foam.

Top view



Side view



SCBX16-FCDE

Front casting deck extension

includes insulated kill tank, lid, hinge, hardware & buoyancy foam.

Top view



Side view



SCBX16-TSF

Thwart seat – front

includes lid, hinge, hardware & buoyancy foam.

Top view



Side view



SCBX16-TSR-Tote | SCBX16-TSR

Thwart seat – rear

includes lid, hinge, hardware & buoyancy foam.

Please note: SCBX16-TSR-Tote suits tote tank variant.



SCBX16-SC

SCBX16-PC

Side coaming – port & starboard

includes hardware & buoyancy foam.



SCBX16-TT

Tote tank

includes hardware for mounting.



SCBX16-SW

Steering wheel



SCBX16-BIM

Bimini suits SCBX 16



SCBX16-TSS-WW | SCBX16-TSS-SS

Transom step – starboard

includes grab rail & hardware.

Available in white wave or silver shore.



Grab rail



SCBX16-TSP-WW | SCBX16-TSP-SS

Transom step – port with ladder

includes grab rail & hardware.


Available in white wave or silver shore.



SCBX16-NAV

Navigation lights

includes hardware.



SCBX16-AWL

Allround white light

includes hardware.

SCBX16-KG-WW | SCBX16-KG-SS

Keel guard

includes hardware. Available in white wave or silver shore.





SCBX16-SCGN

Steering cable gland nut

Used to seal transom well hole for mechanical steering cable.



SCBX16-SASM

Side accessories sounder mount

Fit up to a 9" multi-function display. Also plenty of room to fit rockers switches or sound system head unit. Customise as you like.



SCBX16-ABP

Attwood® Sahara automatic bilge pump

Everything is contained in one compact package – pump, strainer and float switch. Installs quickly & easily in tight spaces.

Model: S500 **Nominal voltage:** 12

Capacity open flow: 31.5L/m | 500gph

Capacity @1m head: 22L/m | 350gph **Max. head:** 2.4m

Power: 12v | 1.2amp **Fuse:** 3amp **Outlet dia.:** 19mm | 3/4"



SCBX16-CS-CC-XDECK-KIT

Xdeck kit

Xdeck flooring kit for SCBX 16CS – centre console.

SCBX16-RT


SCBX16 braked roller trailer

Please note: spare wheel isn't included.




SCBX16-RTSW

SCBX16 spare wheel & mount for trailer







scbx 16





New boat 3+1 warranty / 5+1 warranty (when registered online)

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

In addition to all other rights and remedies in respect of the product which you have under the *Competition and Consumer Act 2010* (Cth) and any other applicable law, The Haines Group Pty Ltd (THG) SCB Outdoors Pty. Ltd. (ABN 51 117 043 731) warrants with respect to each new boat manufactured by THG sold by authorised account (SCBX Boat) that subject to the exclusions set out in this document:

- a. for a period of thirty-six (36) months from the date of the original retail sale, THG will repair or replace the hull or deck of the Boat if structurally defective;
- b. for a period of twelve (12) months from the date of the original retail sale, THG will repair or replace free of charge any other part of the Boat found to be defective in factory materials or workmanship under normal use and operation within Australia.
When registered online at seachangeboating.com.au/scbxwarranty by the customer (within 30-days from retail sale date), warranty will be increased to a maximum period of sixty (60) months and twelve (12) months from the original date of retail sale.

EXCLUSIONS

This warranty does not cover:

- a. transportation arrangements and all transportation costs to and from the manufacturer's repair facility for warranty work; repairs made necessary by normal wear and tear;
- b. engine and power train;
- c. breakage or leakage around windscreen/ windshield or other design openings;
- d. replacement of items in the course of normal servicing and maintenance;
- e. damage resulting from accident, improper use, neglect or use of the boat in any form of competition where speed is a factor;
- f. damage arising from use of the vessel for commercial purposes;
- g. the gel coat including, but not limited to, cracking, crazing, discolouration, blistering, fading or yellowing;
- h. fading and deterioration of fabrics, canvas and upholstery;
- i. options and accessories installed after manufacture or any damage caused to an

otherwise warranted item by options and accessories installed after manufacture;

- j. damage caused by improper maintenance, lack of proper maintenance, galvanic corrosion, fuel contamination, improper trailering or trailer set up, damage caused by operation of the boat in violation of any Commonwealth, State or Local Authority laws rules or regulations;
- k. incidental or consequential damage of any nature or kind whatsoever;
- l. the boat not meeting any published or announced performance characteristics regarding speed, fuel consumption or oil consumption;
- m. the boat if it has been structurally altered, repaired, transported or powered beyond the recommendations of THG;
- n. water damage, dry rot, staining, discolouration, bleeding or absorption of water by condensation or otherwise to interior surfaces, polyurethane, foam or interior wood;
- o. damage to, or failure of, interior or exterior parts caused by maintenance and /or cleaning supplies.
- p. inspection, dismantling, repair and reassembly costs if it is established that the part or parts the subject of the warranty claim are not covered by warranty or are not defective;
- q. damage caused by continued use of the boat after a defect is or should have been discovered including any additional loss or damage caused by the continued use of the boat;
- r. component parts covered by any other manufacturer's warranty;
- s. damage caused by loading and unloading from trailers, cradles or other boat storage devices or by travel lift or forklift;
- t. damage to the windscreen;
- u. rust and/or "tea staining" is not covered;
- v. decals; or
- w. damage to the gel coat or any other coating applied to the hull or the hull resulting from osmosis.

For the purposes of this warranty, the terms: "structurally defective" means containing a defect that causes the hull or deck to be unsafe or unfit for use in normal operating conditions; "hull" means the single fibreglass moulded shell and integral fibreglass structural components below the hull flange; and "deck" means the single fibreglass moulded shell and internal fibreglass structural components above the hull flange.

This warranty does not apply unless:

- a. the Boat:
 - i. has been used and operated properly and in accordance with the manufacturer's operations manual;
 - ii. has not been fitted with an engine (or engines) which exceed the maximum

horsepower or engine/transom weights specified by THG;

- iii. has been maintained and cared for properly and in accordance with the manufacturer's recommendations;
- iv. has not been used in any form of competition use where speed is a factor or for commercial use;
- v. has not been modified or altered after having been delivered by THG;
- b. the trailer is correctly adjusted and meets THG minimum trailer requirements.
- c. all warranty work is approved by THG before repairs are carried out.
- d. the repair or replacement is carried out by an authorised THG dealer or by some other person approved in writing by THG prior to the repair or replacement being carried out.

In the first instance all warranty claims must be addressed to the purchasing dealer. All such claims must in writing, contain full details of the problem encountered and be submitted to the purchasing dealer (and copied to THG) within 30 days of the date on which the owner becomes or should have, exercising reasonable diligence, become aware of the defect. Copies of all claims must also be sent by post to the Warranty Manager, The Haines Group Pty Ltd, 140 Viking Drive, Wacol QLD 4076 or by email to scb@thehainesgroup.com.au on the date on which the claim is made. Claims must be made within:

- a. Months specified above from the date of the original retail sale, if the claim relates to a structural defect; or
- b. Months specified above from the date of the original retail sale, for any other claim under this warranty.

This warranty will only become effective upon receipt by THG provided that the owner submits the THG Online Warranty Registration Form to THG, within one month of the date of the original retail sale. The owner must bear all of the costs of claiming under this warranty. In particular, the owner is responsible for arranging and paying for the return of the Boat to THG, or an authorised repairer as directed by THG.

To the greatest extent permitted by law:

- a. the liability of THG under this warranty is limited to the repair or replacement of any defective part or parts, or the cost of such repair or replacement provided that THG has approved the repair or replacement before it occurs;
- b. all warranties implied by statute or law are expressly excluded; and
- c. THG has no liability under this warranty for any consequential or other loss caused by or arising out of, or relating to the defective part or parts, whether or not caused or contributed to by the negligence or breach of contract of THG or its employees, agents or contractors.



Specific warranty conditions

THG Warranty for Foam/EVA/Xdeck flooring
"Product"

- a. THG warranty does not cover the installation of the product onto any surface, nor does it cover adhesion of the product to the boat or to any other surface to which the products are applied. This warranty applies only to material and workmanship of the product itself. Some fading and/or discolouration of the products may occur with time and use in the marine environment; such fading and/or discoloration is not covered by the warranty. The warranty covers only excessive fading or polymer degradation resulting from defective materials.

- b. This warranty specifically EXCLUDES deformation, discoloration or other damage to the covered product, and EXCLUDES all other damage or loss, resulting from the products being subjected to temperatures in excess of 70°C (max temp). Max temp may occur for example in certain specific installations which result in light amplification at the product surface due to reflection of sunlight from reflective surfaces (particularly concave areas of gelcoat) or refraction of sunlight through light-transmissive surfaces such as windshields or optically clear structures. It is exclusively the buyers responsibility to provide assurance that any particular installation will not exceed the

max temp. THG shall not be responsible for any damage or loss resulting from any application or use of the product which exceeds the max temp. Please consult your owner's manual for more information on how to properly avoid this damage occurring and how to properly maintain your flooring product.

Third party components

- a. Your boat is fitted with component parts that are manufactured and supplied by third parties.

These components are not warrantable by THG but are covered by the component manufacturers standard warranties.

DISCLAIMER: Weights throughout this catalogue are as accurate as can be reasonably determined in terms of boat, motor, trailer and fit out combinations. We suggest customers regard the weights as advisory, as so many variations can occur that are beyond the control of The Haines Group Pty Ltd ATF The Haines Group Trust ABN 62 868 567 262 (THG).

Customers should also note that water could enter the bilge area if the flexible sealant used on various joins is not maintained. Customers are also reminded the photographs in this catalogue do show many optional and non-standard features or accessories. Further, as THG is constantly working to build a better product, always check with your SCBX account partner to ensure you have the latest specifications and price lists, as we reserve the right to change specifications, fittings, inventory and prices without notice.

©Copyright 2020 SCB Outdoors Pty. Ltd. (ABN 51 117 043 731)

